


Scala 1:100



LATO OVEST (valle)

1106

LATO EST (monte)

Bocchettoni

Linea Fibra


Linea Gas

tubo PVCØ160

Tubo PVCØ200

Linea Enel

Linea Gas



Technical drawing of a drainage system for a flat roof, showing a cross-section view.

Labels and Dimensions:

- LATO OVEST (valle)** (Left side, valley)
- LATO EST (monte)** (Right side, ridge)
- 1106**: Total width of the roof section.
- Bocchettoni**: Drainage outlets on the roof surface.
- Linea Fibra**: Fiber optic line.
- Linea Gas**: Gas line.
- Linea Enel**: Electrical line.
- Linea Gas**: Gas line (on the right side).
- braga PVCØ200**: PVC gasket/bracket for the Ø200 pipe.
- curva135° PVCØ200**: 135° PVC elbow for the Ø200 pipe.
- 100**: Width of the drainage channel.
- 190**: Slope dimension (vertical rise over horizontal run).
- 280**: Horizontal distance from the channel to the vertical pipe.
- 250**: Vertical distance from the channel to the vertical pipe.
- TEdoppio PVCØ200**: Double PVC pipe for Ø200.
- pozzetto scolmatore 95*95(h108)**: Scumming pit (95x95, height 108).
- vasca di disloazione Øint.155(h175)**: Discharge tank (internal diameter 155, height 175).
- scarico PVC DN250 in corpo idrico superficiale**: Surface drainage outlet (PVC DN250) in the surface water body.

[illegible][illegible]

CODIFICA ELABORATO									
0054	01	4	E	10	10	00	02		
CODICE COMMESSA		LOTTO	FASE	TITOLO			REV		
CUP: H76G19000120003							Scala: 1:100 / 1:25		
		Provincia di BRESCIA AREA TECNICA E DELL'AMBIENTE SETTORE DELLE STRADE E DEI TRASPORTI							
SPBS 345 “DELLE TRE VALLI” - MANUTENZIONE STRAORDINARIA DEL PONTE AL KM 90+770 IN COMUNE DI CIVIDATE CAMUNO (cod.manufatto SSPEXSS345_P021)									
PROGETTO ESECUTIVO									
TAVOLA 05 - SMALTIMENTO ACQUE METEORICHE									
Progettista e responsabile integrazione prestazioni specialistiche:							R.U.P. Ing. Giuseppe Ongaro		
									
REV.	DESCRIZIONE	REDATTO	VERIFICATO	APPROVATO	DATA				
0	EMISSIONE	N.SOTTURA	R.SALVADORI	R.SALVADORI	08/06/2020				
1	REVISIONE	N.SOTTURA	R.SALVADORI	R.SALVADORI	GIUGNO 2021				
2	REVISIONE	N.SOTTURA	R.SALVADORI	R.SALVADORI	DIC. 2021				